


Executive Summary


This procedure explains how to setup the 0702L monitor in extended mode on an Elo I-Series with Windows 10. This will most likely work on all Elo AIO products running Windows 10 but has only been tested with the I-Series i5 unit.

Procedure


1. Connect the 0702L's USB cables to the Elo I-Series.
2. Typically, Windows 10 will auto install the DisplayLink drivers. If for some reason it does not, go to www.displaylink.com and download and install **Windows 10 v1506/1511 TH1/TH2**: <https://www.displaylink.com/downloads/file?id=1245>
3. The displays should automatically default to extended mode setup, if they do not, go into the Windows display properties and choose **"Extend these displays."**




4. Once display is setup, go to **Control Panel/Tablet PC Settings/Hardware and Sound/Calibrate the screen for pen and touch input.**




5. In Tablet PC Settings, click on **“Setup”**




6. When dialog appears on the i-series **“Touch this screen to identify it as the touchscreen”** – touch the i-series screen.



7. When the dialog appears “**Press Enter to proceed to the next step to complete your configuration**” press **Enter** on the keyboard.



8. When the dialog appears on the 0702L “**Touch this screen to identify it as the touchscreen**” touch the 0702L screen.



9. You can now close the Tablet PC settings and touch should be working on both units as expected.