

TB000071 REV. A

Executive Summary

This technical paper defines the permissions for users within EloView.

Contents

User	1
Devices	2
Enterprise Reset	3
Device Groups	3
Content	3
Download	4
Filters	4
Account	4
Content Deploy	5
Serial Number Coupling	6
Scheduled Contents	6
Roles	6
Sub Accounts	7
Support User Action	7

<u>User</u>

- READ
 - o Access the "Manage Users" option in the Accounts dropdown
 - View the Users List for the account
- WRITE
 - o Set up a user with e-mail notifications
 - o Edit a user's permissions
- CREATE
 - Invite new users by e-mail on the "Manage Users" page, including setting their permissions
- DELETE
 - o Delete a user



Devices

- READ
 - View the Dashboard
 - View Devices (including results from filtering)
 - View device details (Details, Settings, Whitelist, Peripheral Configuration, Reboot Timer, Apps)
 - Generate reports from Devices page (must have filter read permission to customize columns of report)
 - \circ View "Logs Available" (if there are any) on the Software tab
 - View how many devices each content has been deployed to in the Contents Deployment tab under Activity (also requires content read permission)
- WRITE
 - Add a device / devices to a device group (also requires device group write permission)
 - Delete a device from a group (also requires device delete and device group write permissions)
 - View and/or edit the control panel password
 - View and/or edit the restriction access password (if there is one)
 - Check for / Apply software updates to a device
 - Reboot device / devices
 - Upload logs in the Software tab
 - View / Change device serial number
 - Edit device details (Details, Settings, Whitelist, Peripheral Configuration, Reboot Timer, Apps)
 - View / Edit device details for a given filter (also requires filter write permission)
 - Select all / multiple devices on Devices page
- CREATE
 - Add a new device
- DELETE
 - o Delete a device
 - Delete a device from a group (also requires device write and device group write permissions)
 - Delete a device group and all of its devices (also requires device group delete permission)
 - Delete logs that have been uploaded in the Software tab (if there are any)



Enterprise Reset

- ALL
 - Reset device / devices, including removing all downloaded content and resetting all device settings (also requires device write permission)

Device Groups

- READ
 - View Device Groups and the details of the Device Group (including results from device group filter)
 - View the following device group details: Settings, Contents on Group, Whitelist, Reboot Timer, Peripheral Configuration, and Apps tabs of the Device Group page
- WRITE
 - Add one or more devices to a device group (also requires device write permission)
 - Edit the following device group details: Settings, Whitelist, Reboot Timer, Peripheral Configuration, and Apps
 - View the Control Panel password for a device group
 - Check for / Apply software updates to a device group
 - Delete a device from a device group (also requires device delete and device write permission)
- CREATE
 - Add / create a new device group
 - Add / create a new sticky filter for a device group
- DELETE
 - Delete a device group (only the group itself, not the devices within the group)
 - Delete a device group and all of its devices (also requires device delete permission)
 - Delete a filter from a device group

<u>Content</u>

- READ
 - View which content is deployed to which devices (also requires device read permission)
 - View available apps in App Library
 - View default content for single device, group, etc (also requires content deploy read permission)
 - View current content and its status (also requires content deploy read permission)



- View "Contents" section including available Apps in the App Library, current contents and their status, etc
- WRITE
 - Edit content (including name, description, etc)
 - Edit an existing bundle (including name, description, rearranging content, etc)
- CREATE
 - Add new content to the App Library
- DELETE
 - Delete existing content, including bundles (note that when the content is deployed to a device / devices, this action would also require content deploy delete permission)

Download

- ALL
 - Download content (APKs, Media, Bundles, etc)

Filters

- READ
 - View filters and sticky filters available for searching devices, accounts, etc
- WRITE
 - View / Edit details of devices returned when a filter or sticky filter is applied (also requires device write permission)
- CREATE
 - Create a new filter for searching devices
 - Create a new sticky filter
 - Create a new filter for searching accounts
- DELETE
 - Delete existing filter (accounts, devices, etc)

<u>Account</u>

- READ
 - \circ $\;$ Access the "Account Settings" option in the Accounts dropdown $\;$
 - View the following Account Settings: Details, Settings, Whitelist, Reboot Timer, Customize, SAML, Apps



- WRITE
 - Edit the following Account Settings: Details, Settings, Whitelist, Reboot Timer, Customize, SAML, Apps
 - Check for / Apply Software Updates for the Account (also requires device write permission)
 - View Control Panel password
 - View Access Restriction Password (if there is one)
 - Reboot Devices
 - Perform an Enterprise Reset on device / devices (also requires device Enterprise Reset permission)
 - Apply default content
 - if default content already exists, also requires content deploy write permission
 - when there is no current default, also requires content deploy create permission

Content Deploy

- READ
 - View the Account's default content in "Account Settings" (also requires content read permission)
 - View Device Group's default content (also requires content read permission)
 - See default application for device / device group (also requires content read permission)
 - See device's current content and status (also requires content read permission)
- WRITE
 - Deploy content (APK, WebApp, Media, Attract, Bundle) to a device / device group that already has content (Note that content deploy create permission is required when a device / device group does not currently have any content)
 - Change content on a device / device group
 - o Publish a schedule under Scheduled Contents section
 - Apply new default content *when there is already default content set* (also requires account write permission)
- CREATE
 - Deploy content (APK, WebApp, Media, Attract, Bundle) to a device / device group that does not currently have any content (Note that content deploy write permission is required when a device / device group already has content)



EloView Permission Definitions TBC	00071	REV. A
------------------------------------	-------	--------

- Apply new default content *when there is not already default content* on the device / device group (also requires account write permission)
- DELETE
 - Delete content when it is already deployed on a device / device group (also requires content delete permission)

Serial Number Coupling

- READ
 - View device serial numbers
- WRITE
 - Edit device serial numbers (also requires device write permission)
- CREATE
 - o Edit device serial number when the device is locked
- DELETE
 - Delete a serial number from a device

Scheduled Contents

- READ

 View Scheduled Contents
- WRITE
 - 0 N/A
- CREATE
 - Create a new content schedule
 - Duplicate an existing content schedule
- DELETE
 - o Delete an existing content schedule

<u>Roles</u>

- READ
 - View the "Roles" tab on the "Manage Users" page
- WRITE
 - Edit an existing role on the "Roles" tab of the "Manage Users" page (role name, which permissions are included, etc)



- CREATE
 - Add a new role on the "Roles" tab of the "Manage Users" page
- DELETE
 - Delete a role on the "Roles" tab of the "Manage Users" page

Sub Accounts

- READ
 - o Access the "Manage Accounts" option in the Accounts dropdown
- WRITE
 - Edit an account on the "Manage Accounts" page including: account name, contact person, phone, e-mail, address, max # devices, and account status (disabled vs enabled)
 - Jump into an account on the "Manage Accounts" page (as if you were that user)
- CREATE
 - Create a new account on the "Manage Accounts" page
- DELETE
 - Delete an account on the "Manage Accounts" page

Support User Action

- READ
 - View "Support User Action" option in Accounts dropdown
- WRITE
- CREATE
- DELETE